Form 671 - ELECTRONIC Unit 601 Monthly Check

Completed by: Mitchell Admin (mitchell) - May 13 '25 - 12:00 am - Form #671

Comments:

These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the comments for the vehicle inventory/maintenance report. They can be 1000 characters long and this is an example of the maximum. These are the

Date: **11/11/1111**	Operation	Inspection	Wipe Clean	Service / Lube	Check Tightness
Initials: **ABC**					
Operation / Inspection / Service					
Extend ladder in structure mode					
Wipe off all excess grease - ladder		■	■	■	
Wipe off grease fittings		■	■	■	
Wipe clean ladder slide pads - lower		■	■	■	
Wipe clean ladder slide pads - upper		■	■	■	
Check all ladder welds		■			
Electrical - corrosion / tightness		Inspection			Check Tightness
Under front seat		■			■
Breaker panel		■			■
Electrical outlets		■			■
Warning connections - apparatus		■			■
Warning connections - ladder		■			■
Turntable		Inspection	Wipe Clean	Service / Lube	Check Tightness
Inspect cracks / damage		■	■	■	
Railing bolts		■			■
Clean of grease / dirt		■	■		

Ladder Lift Cylinders		Inspection	Wipe Clean	Service / Lube	Check Tightness
Rod seals for leaks		■			
Rods for scoring		■			
Hydraulic lines		■			
Retaining rings / bolts		■	■		■
Grease cylinders		■	■	■	
Ladder / Waterway	Operation	Inspection	Wipe Clean	Service / Lube	
Waterway monitor operation	■	■	■		
Ladder operation	■	■	■	■	
Inspect cables / pulleys	■	■	■	■	
Clean cord reel	■	■	■	■	
Alignment switch	■	■			
Check comm. cables		■	■		
Grease pulley fittings		■	■	■	
Grease ladder fittings		■	■	■	
Grease waterway fittings		■	■	■	
Control Station	Operation	Inspection	Wipe Clean		Check Tightness
Switches / levers	■	■			
Valve connections		■	■		
Gauge operation		■	■		
Control panel cover		■	■		
Mounting bolts		■			■

Hydraulics / Outriggers / Controls	Operation	Inspection	Wipe Clean	Service / Lube	Check Tightness
Pivot pins and retainer bolts		■	■	■	■
Outriggers	■	■		■	
Mounting bolts		■			■
Jack legs	■	■			
Cylinder rod seals		■			
Cylinder rod shafts		■			
Control operation	■	■			
Hydraulic lines		■			
Hydraulic swivel		■			
Hydraulic fluid		■		■	
Drain moisture		■		■	

Other	Operation	Inspection	Wipe Clean	Service / Lube
Pump platform - release mechanism	■	■		■
Pump platform - outer slides	■	■		■
Pump platform - under slides	■	■		■
5" storz connections	■	■	■	■
2 1/2" connections	■	■	■	■
Emergency overrides	■	■		